P S α S

ALUMINIUM WINDOWS AND DOORS



TRANSFORM YOUR SPACE

Schell is born out of passion to create forever inspiring spaces. One of the most preferred brands in fenestration across Kerala, Schell features an extensive range of premium Aluminium windows and doors that provide timeless charm to your brilliantly engineered buildings. Incomparable quality, inimitable european designs and incredible versatality.





FEATURES



Strong and Secure



Weather Resistant



Superior Insulation



Easy to Install

TIMELESS DESIGNS VERSATILE RANGE

Enjoy design freedom for your home right down to the very last detail

www.schellco.in

Schell Systems

J250 Sliding Windows

J270 Sliding Windows and Doors

J350 Sliding Windows and Doors

Exquisite
Slimline
Aluminium
Windows



SCHELL J250 SLIDING SERIES

Get inspired by the most affordable range of windows





PRODUCT DETAILS

• 25 mm X 63 mm

• Tracks: 1, 2 and 3

• Shutters: 2, 3, 4 and 6

• Maximum height: 7 feet

• Minimum height: 2 feet

• Maximum length: 4 feet

• Minimum length: 2 feet

• Glass SGU: 5 - 8 mm

• Opening: 50% - 66%

• Coatings: Powder, Wooden,

Anodized

TECHNICAL DETAILS

Hardware: Kin Long (Imported)

• Heavy EPDM Bearing

• Wool Pile: Without Fin

• Insect Screen: Nylon / SS 304

• Rails: Independent bottom rail (Non-Detachable)

PRODUCT DETAILS

• 27 mm X 65 mm

• Tracks: 2 and 3

• Shutters: 2, 3, 4 and 6

• Maximum height: 8 feet

• Minimum height: 2 feet

• Maximum length: 4 feet

• Minimum length: 2 feet

• Glass SGU: 5 - 8 mm

• Opening: 50% - 66%

• Coatings: Powder, Wooden,

Anodized





TECHNICAL DETAILS

Hardware: Kin Long (Imported)

• Heavy EPDM Bearing

• Wool Pile: Without Fin

• Insect Screen: Nylon / SS 304

• Rails: Independent bottom rail (Non-Detachable)

SCHELL J270 SLIDING SERIES

Give your home a touch of the future

SCHELL J350 SLIDING SERIES

Create a spatial connection between inside and outside





PRODUCT DETAILS

• 35 mm X 75 mm

• Tracks: 2, 3 and 4

• Shutters: 2, 3, 4, 6 and 8

• Maximum height: 10 feet

• Minimum height: 4 feet

• Maximum length: 5 feet

• Minimum length: 3 feet

• Glass SGU: 5 - 8 mm

• Glass DGU: 12 - 24 mm

• Opening: 50% - 66%

 Coatings: Powder, Wooden, Anodized

TECHNICAL DETAILS

- Hardware: Kin Long (Imported)
- Heavy EPDM Bearing
- Wool Pile: With Fin
- Insect Screen: Nylon / SS 304
- Rails: Independent bottom rail (Non-Detachable)

PRODUCT DETAILS

• 40 mm X 45 mm

• Type: Casement, Fixed

Mullion : Fixed Mullion / Flying Mullion

• Maximum height: 8 feet

• Minimum height: 2 feet

• Maximum length: 3 feet

• Minimum length: 1.5 feet

• Glass SGU: 5 - 10 mm

• Glass DGU: 12 - 24 mm

• Opening: Up to 90%





TECHNICAL DETAILS

- Hardware: Kin Long (Imported)
- EPDM Gaskets on Shutter and Outer frame
- Insect Screen: Nylon / SS 304
- Bottom Frame : With / Without frame

SCHELL J400 CASEMENT SERIES

Extremely energy efficient and superior insulation

SCHELL J710 SLIDING FOLDING SERIES

Make your home stand out





PRODUCT DETAILS

• 50 mm X 76 mm

• Type: Bi-folding

• Maximum height:11 feet

• Minimum height: 6 feet

• Maximum length: 4 feet

• Minimum length: 2.5 feet

• Glass SGU: 5 - 10 mm

• Glass DGU: 12 - 24 mm

• Opening: 95% Foldable

 Coatings: Powder, Wooden, Anodized

TECHNICAL DETAILS

• Hardware: Kin Long (Imported)

 EPDM Gaskets on Shutter and Outer frame

• Insect Screen: NA

Bottom Frame : Concealed
 (Ontional)

(Optional)

• Skin Thickness: 2 mm

PRODUCT DETAILS

• 56 mm X 101mm

• Mullion: 90 mm X 101 mm

• Maximum height :12 feet

• Minimum height: 7 feet

• Maximum length: 8 feet

• Minimum length: 3 feet

• Glass SGU: 5 - 10 mm

• Glass DGU: 12 - 24 mm

• Opening: 90% Glass

• Coatings : Powder, Wooden,





TECHNICAL DETAILS

• EPDM Gaskets on Outer frame

• Insect Screen: NA

• Skin Thickness: 2.8 mm

SCHELL H1000 CASEMENT SERIES

Minimize obstructions

Maximize views

SCHELL CURTAIN WALL SYSTEMS

Stunning Contemporary Designs





PRODUCT DETAILS

• 55 mm X 101mm

• Maximum height :15 feet

• Minimum height: 10 feet

• Maximum length: NA

• Minimum length: 2 feet

• Maximum length: 5 feet

• Glass SGU: 5 - 10 mm

• Glass DGU: 12 - 24 mm

• Opening: 90% Glass

 Coatings: Powder, Wooden, Anodized

TECHNICAL DETAILS

• EPDM Gaskets on Outer frame

• Insect Screen: NA

• Skin Thickness: 2.8 mm

FINISHES

Metallic Glossy Matt Anodized Wood

GLAZING

Single Glazed Double Glazed Laminated



SHADES

MT Grey Schell Grey Black Matt Soft Grey Silver Champagne Gold Anodic Bronze

CONTACT DETAILS

14/291N, 1st Floor, A Square Edathala PO, Kuzhivelippady Ernakulam - 683561

+(91) 7736652294

+(91) 9061197755

info@schellco.in





GOOD DESIGN IS OBVIOUS GREAT DESIGN IS TRANSPARENT

"Design is intelligence made visible."

-Alina Wheeler

www.schellco.in